The immune system

Question Paper 2

Level	International A Level
Subject	Biology
Exam Board	CIE
Topic	Immunity
Sub Topic	The immune system
Booklet	Theory
Paper Type	Question Paper 2

Time Allowed: 47 minutes


Score : /39

Percentage: /100

Grade Boundaries:

A*	А	В	С	D	E	U
>85%	'77.5%	70%	62.5%	57.5%	45%	<45%

Pathogens enter the body in a variety of ways, including through the gas exchange system. The body has several defence mechanisms against the entry of pathogens and their spread throughout the body.






Fig. 2.1

(a) (i)	Name tissue X and cell Y .
	X
	Y[2]
(ii)	With reference to the structures visible in Fig. 2.1, state three ways in which the lining of the trachea, bronchus and bronchioles provides protection against the entry of bacterial pathogens.
	1
	2
	3
	[3]

Fig. 2.2 shows part of the immune response to the first infection by a bacterial pathogen that has entered the body through the lining of a bronchiole. $\bf J$ and $\bf K$ are stages in the immune response.




Fig. 2.2

(b) (i)	State what is happening at stage J .
	[1]
(ii)	Explain the role of cell L at stage K in the immune response.

Save My Exams! – The Home of RevisionFor more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

(c)		h reference to Fig. 2.2, explain how the response to a second infection by this bacterial hogen differs from the first.
		[3]
(d)	The	ere are various ways in which the effectiveness of immune responses can be reduced.
	Su	ggest how each of the following reduces the effectiveness of an immune response.
	(i)	The number of T-lymphocytes is reduced in a person with HIV/AIDS.
		[1]
	(ii)	Some pathogens are covered in cell surface membranes from their host.
		[1]
	(iii)	B-lymphocytes do not mature properly and do not recognise any antigens.
		[1]
		[Total: 14]

2 Table 4.1 shows some information about five infectious diseases.

Table 4.1

infectious disease	name of causative organism(s)	type of causative organism	main mode of transmission
HIV/AIDS	human immunodeficiency virus (HIV)	virus	sexual contact
cholera	Vibrio cholerae		ingestion of contaminated water and food
tuberculosis	Mycobacterium tuberculosis	bacterium	
measles		virus	aerosol / droplet infection
	Plasmodium vivax or P. malariae or P. falciparum or P. ovale		

(a)	Complete Table 4.1. [3]
(b)	In 2011, the World Health Organization (WHO) published recommendations to help countries develop plans to prevent the spread of HIV.
	Discuss the factors that should be considered when making recommendations concerning the prevention of sexual transmission of HIV.

Save My Exams! - The Home of Revision

For more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

(c) HIV infects cells of the immune system, particularly helper T-lymphocytes (T_h cells). HIV can infect both non-dividing and dividing helper T-lymphocytes, including memory cells.

The onset of disease, which can occur many years later, coincides with a severely lowered primary and secondary immune response, owing to greatly reduced numbers of T_h cells in the body.

(i) An infected T_h cell can still carry out a normal cell cycle and divide to produce two cells.

The following process	ses occur during	g one cell cycle	:	
DNA replication	mitosis	growth	cytokinesis	
List the processes in	a correct seque	ence.		
1				
2				
3				
4				 [1]
		ction of memor	y T _h cells will contribute to a lowe	rec
•	·			
	List the processes in 1	List the processes in a correct sequent 1	List the processes in a correct sequence. 1	List the processes in a correct sequence. 1

[Total: 11]

Save My Exams! - The Home of Revision

For more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

- 3 Diseases are either infectious or non-infectious.
 - (a) Complete Table 4.1 to produce a summary of four important infectious diseases.

Table 4.1

name of disease	type of causative organism	name of causative organism
cholera	bacterium	Vibrio cholerae
HIV/AIDS	virus	
malaria		
tuberculosis (TB)		Mycobacterium tuberculosis

[4]

(b) Typhoid is an example of an infectious disease.

Some features of typhoid include:

- caused by a bacterium that can only infect humans
- caused by the ingestion of contaminated food and water
- can be treated with drugs
- can be prevented by a vaccine.

(i)	State which of the diseases named in Table 4.1 is transmitted in the same way as typhoid.
	[1]
(ii)	State which type of drug can be used in the treatment of typhoid. Give a reason for your answer.
	[1]

Save My Exams! – The Home of RevisionFor more awesome GCSE and A level resources, visit us at www.savemyexams.co.uk/

(ii	ii)	Child vaccination programmes against typhoid in some countries have had considerable success. The numbers contracting the disease have decreased, not only in the vaccinated children, but also in other age groups that were not part of the programme.
		Suggest explanations for this observation.
(c) /	Λftο	r infaction, the ingreted typhoid bacteria are engulfed by phagecytes
(6) /	AILE	r infection, the ingested typhoid bacteria are engulfed by phagocytes.
	(i)	Explain why the phagocytes act only against the bacteria and not against human cells.
		[3]
(ii)	Unlike other bacteria, the typhoid bacteria are able to survive and multiply within the phagocytes.
		Suggest an explanation for this observation.
		[1]
(i	ii)	Explain why people with HIV/AIDS are more susceptible to infections, such as typhoid.
		[2]